This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

 (original) In a system comprising a content provider computer system, a central computer system, and a client computer system, a method comprising:

in an electronic content document retrievable from a content provider computer system storing

content documents, embedding code executable by a client computer to invoke the

central computer system to recognize key elements on a document-corresponding to the

content document;

recognizing key elements in the document; and

generating annotation instructions for the client computer system to create one or more annotations for one or more key elements in the content document and sending the instructions to the client computer system.

- (original) The method of claim 1, wherein the code embedded into the content document
 is embedded by a computer system under the control of the party controlling the content
 provider computer system.
- (original) The method of claim 1, wherein the code embedded into the content document is embedded by computer system under the control of the party controlling the central computer system.

BEST AVAILABLE COPY

Page 2 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353


- 4. (original) The method of claim 1 wherein, the code embedded into the content
 document is embedded by a party controlling a computer system associated with the
 Internet service provider for the client computer system.

 5. (original) The method-of-claim 1, wherein the annotation for a key element is associated
 with data ("key element data") that is suitable for forming a query for use by a search
 engine to locate information related to the key element.
 - 6. (original) The method of claim 5, further comprising using the key element data to query a database of a computer system remote from the client system, the key element data being sent to the remote computer by the client computer system, following a user's selection of the annotation.
- 7. (original) The method of claim 6, wherein the search is adapted to find information about

 products relating to the key element associated with the annotation.
 - 8. (original) The method of claim 7, wherein product-related information responsive to the query is returned to the user selecting the annotation.
 - (original) The method of claim 7, wherein the product-related information is in the nature
 of at least one of (i) comparative product information and (ii) products listed by
 production.

Page 3 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

- 10. (original) The method of claim 7, wherein the information is provided in a target document that includes means for a user to electronically retrieve additional information about a listed product.
- -----(original) The method of claim-7, wherein the target document is associated with means for making an online purchase of a listed product.
- 12. (original) The method of claim 1, wherein the key element data associated with the annotation corresponds to the URL for a static document available over the Internet.
- 13. (original) The method of claim 1, wherein the following a user's selection of an annotation key element data is sent to a remote computer system, the remote computer system uses the data to dynamically generate data comprising a data object for sending to the client computer system.
 - 14. (original) The method of claim 13, wherein the data object comprises streaming media.
 - 15. (original) The method of claim 13, wherein the data object comprises computer code executable by the client computer system.
 - 16. (original) The method of claim 1, wherein the recognizing occurs on the central computer system.
 - 17. (original) The method of claim 16, wherein the annotation instructions are generated on the central computer system.
 - Page 4 RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353



Page 5 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

(original) The method of claim 20, wherein each key element has a corresponding identifier that corresponds to a URL, and the annotation for a key element includes key element data for forming a search query, the data being transmittable to a computer system-with-a-search-engine-upon-user-selection-of an-annotated-key-element...... (original) A method comprising sending a key list from a remote computer system to a client computer system, the client computer having executable code for performing one or both of annotation and recognition of key elements on the key list, the key list comprising a set of key elements and corresponding identifiers; and the key list being adapted for the client computer to use in performing on an electronic document presented to a user of the computer system from a content provider computer system one or more of (i) recognizing key elements and (ii) annotating key elements. original) The method of claim-22, wherein the code includes means for key elements to 23be associated with a hyperlink to information related to a key element on the electronic document. (original) The method of claim 22, wherein the code includes means for key elements to 24. be associated with a pop-up window displaying at least one link to information related to a key element on the electronic document. (original) The method of claim 22, wherein the electronic document is a web page sent 25. over-a packet-switched.network.

> Page 6 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

- 26. (original) The method of claim 22, wherein the client computer system has code for performing both annotation and recognition of a web page received from a content provider.
- -27: -- -(original)-In-a-system-comprising-at-least-a-content-provider-computer-system-and-a-----consumer computer system, a method comprising:

on a first computer system, receiving an electronic document with at least one predetermined key element;

from a second computer system, knowing the identity of the electronic document received on
the first computer system, sending instructions to the first computer system for
presenting to the user of the first computer system one or more hyperlinks related to a
key element on the electronic document so the user may retrieve data or information

related to the key element.

- 28. (original) The method of claim 27, wherein the instructions to the first computer system are usable by that system to annotate the electronic document with data corresponding to an identifier for to a key element.
- 29. (original) The method of claim 27, wherein the electronic document includes code executable by a second computer system to generate annotation instructions that are sent to the first computer system for use in generating the hyperlink.

Page 7 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

- 30. (original) The method of claim 29, wherein the electronic document is a web page, and prior to being received by the first computer system, a code executable by the first computer system is embedded in the web page, the code being capable of invoking the second computer to generate annotation instructions for the first computer system.
- 31. (original) The method of claim 30, wherein the code is executable by the second computer to retrieve a web page corresponding to the one received on the first computer system, the second computer recognizing predetermined key elements on the web page and sending annotation instructions to the first computer system for annotation of the web page on the first computer system.
- 32. (original) The method of claim 29, wherein the code is embedded in the electronic document by a computer system of an Internet service provider that serves as a conduit for the electronic page received by the first computer system.
- 33. (original) In a system comprising at least two computer systems, a method comprising:
- from a first computer system, providing a second computer system a set of predetermined key elements and corresponding identifiers for use in creating annotations for key elements on an electronic document;
- receiving from the second computer system data associated with an annotation for a key element ("key element data") following selection of an annotation by a user of the second computer system;
- Page 8 RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

reu.	eving or generating data or information responsive to the key element data received from
	the second computer system; and
sen	ding the information to a computer system or output device associated with the user
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	selecting-the-annotation.
34.	(original) The method of claim 33, wherein the key element data is suitable for forming a
	query for use by a search engine to locate information related to the key element, the
	key element data being transferred over a packet-switched network to another computer
	system.
35.	(original) The method of claim 34, wherein the information relates to products relating to
35.	(original) The method of claim 34, wherein the information relates to products relating to
35.	
	the key element.
	the key element. (original) The method-of-claim-35, further-comprising using the key element data to
	the key element. (original) The method-of-claim-35, further-comprising using the key element data to formulate a query in a database coupled to the other computer system and sending
	the key element. (original) The method-of-claim-35, further-comprising using the key element data to formulate a query in a database coupled to the other computer system and sending product-related information generated from the query to the user selecting the
36.	the key element. (original) The method-of-claim-35, further-comprising using the key element data to formulate a query in a database coupled to the other computer system and sending product-related information generated from the query to the user selecting the annotation.
	the key element (original) The method of claim 35, further comprising using the key element data to formulate a query in a database coupled to the other computer system and sending product-related information generated from the query to the user selecting the annotation. (original) The method of claim 36, wherein the product-related information includes

Page 9 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

- (original) The method of claim 36, wherein the information is provided in a target document that includes means for a user to electronically retrieve additional information about a listed product. -(original) The method-of-claim-39;-wherein-the-target-document-is-associated-with-meansfor making an online purchase of a listed product. (original) The method of claim 33, wherein the key element data comprises the URL for 41. a static document available over the Internet. (original) The method of claim 33, wherein the key element data is used to dynamically 42. generate data comprising a data object for sending to the second computer system. (original) The method of claim 42, wherein the data object comprises streaming media (original) The method of claim 42, wherein the data object comprises computer code 44. executable by the second computer system. 45. (original) A method for use on a system of networked computers, comprising: from a first central computer system, transmitting to a second computer system of a consumer code executable on the consumer computer system for (i) recognizing predetermined key elements on an electronic document and (ii) annotating the key elements by associating recognized key elements with a URL for a second computer system.
 - Page 10 RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

computer system, the address being determinable from a key list comprising a set of key elements and corresponding identifiers. 46. (original) The method of claim 45 wherein the code is executable to recognize and annotate key elements on a web page received from a content provider computer system. 47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to generate annotations instructions for the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer eyetem, the identifier being determined from a set of key elements and corresponding identifiers stored on the first computer system.		
48. (original) The method of claim 45 wherein the code is executable to recognize and annotate key elements on a web page received from a content provider computer system. 47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer eyetem, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		computer system, the address being determinable from a key list comprising a set of key
annotate key elements on a web page received from a content provider computer system. 47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system. 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		elements and corresponding identifiers.
annotate key elements on a web page received from a content provider computer system. 47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system. 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		•
47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to generate annotations for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system. 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first	46.	(original) The method of claim 45 wherein the code is executable to recognize and
 47. (original) The method of claim 46, wherein one or more key elements comprise one or more words. 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system. 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first 		annotate key elements on a web page received from a content provider computer
48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first	•	system.
48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		
 48. (original) A computer code stored in memory on a central computer system and executable thereon, the code being invokable on the central computer system by a client computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first 	47.	(original) The method of claim 46, wherein one or more key elements comprise one or
executable thereon, the code being invokable on the central computer system by a client computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		more words.
executable thereon, the code being invokable on the central computer system by a client computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		
computer system to generate annotation instructions for the client computer system to associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first	48.	(original) A computer code stored in memory on a central computer system and
associate annotations with key elements on an electronic page received by the client computer system from a content provider computer system: 49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		executable thereon, the code being invokable on the central computer system by a client
49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		computer system to generate annotation instructions for the client computer system to
49. (currently amended) A computer code stored in memory on a first computer system comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		associate annotations with key elements on an electronic page received by the client
comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		computer system from a content provider computer system:
comprising the computer of a consumer and executable thereon, the code being adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first	40	(currently amended) A computer and a stored in mamon, on a first computer eveters
adapted to (i) recognize predetermined key elements on an electronic document received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		t to to ment the state to the terminal state of the state
received from a content provider computer system, and (ii) create an annotation for a key element by associating recognized key elements with an identifier corresponding to the address of a second computer system computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		
key element by associating recognized key elements with an identifier corresponding to the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		adapted to (i) recognize predetermined key elements on an electronic document
the address of a second computer system-computer system, the identifier being determined from a set of key elements and corresponding identifiers stored on the first		received from a content provider computer system, and (ii) create an annotation for a
determined from a set of key elements and corresponding identifiers stored on the first		key element by associating recognized key elements with an identifier corresponding to
	•	the address of a second computer system-computer system, the identifier being
	• • • • • •	determined from a set of key elements and corresponding identifiers stored on the first
	:	- computer-system

Page 11 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

	50.	(original) The computer code of claim 49, wherein the code is adapted to recognize and
		annotate an electronic document comprising a web page received by the first computer.
		system from a content provider over a packet switched network and the code uses a
		key list comprising the set of key elements and identifiers, the identifiers corresponding
		-to-one-or-more-URLs:
	51.	(original) The computer code of claim 50, wherein the code is adapted to recognize and
		annotate the web page using a key list with at least one key element comprising one or
		more words.
	52 .	(original) The method of claim 51, wherein the code is adapted to retrieve a key list from
		a remote computer system.
		. TO THE PROPERTY OF THE PROPE
	53.	(original) A computer system comprising:
<u> </u>		
٠	a first	computer system in networked communication with a plurality of other computer systems,
		at least one of which is a content server;
	mean	s in the first computer for receiving an electronic page with content from a content provider
	•	computer system storing content pages;
	a key	list stored on the system comprising a set of key elements and corresponding identifiers
•	•	that correspond to addresses for electronic information or data that are relevant to a key
		element:

Page 12 - RESPONSE TO OFFICE ACTION DATED DECEMBER 14, 2004 Serial No. 09/881,353

	a reco	egnizer module stored on the system for parsing a page received from the content provider
· ·.		computer system and identifying on the electronic page one or more listed key elements
		matching to predetermined key elements in the stored list;
	an-an	notation-module-stored on-the system-for-associating-identified-key-elements-with-an
		annotation from the key list so that a user presented the electronic page can retrieve
<u> </u>		information related to the key element by selecting annotation.
. •		andronen er en
i	54.	(original) A web document stored in memory on a server, the web document containing
		code executable by a client computer system enabling the client computer to invoke a
•		remote computer system to generate annotation instructions that are returned to the
•		client computer system, the annotation instructions being used by the client computer
		system to create an annotation for a predetermined key element on the web document.
		THE STATE OF THE PROPERTY OF T
	55: -	- (original) The web document of claim 54, wherein the key element comprises one or
		more words.
	56.	(original) The web document of claim 54, wherein the server is a content server.
	-	
	57.	(original) The web document of claim 54, wherein the server is controlled by a party
		other than the party that is the source of the web document.
		· · · · · · · · · · · · · · · · · · ·

	-controlling the Internet service provider that serves as a conduit for delivery of the web
	document to the client computer system.
-59	(original) The web document of claim-54, wherein the executable code comprises
	Instructions directing the client computer system to access a URL for the remote
	computer system.
تغیری (ایاشهٔ) (است.	
	-59

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.